

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

**Section 1: Identification of the substance/preparation and of the company/undertaking**1.1 Product identifiers

Trade name: Diethylene glycol – DEG  
CAS number: 111-46-6  
EG number: 203-872-2  
Index number: 603-140-00-6  
Registration number: REACH 01-2119457857-21-XXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses advised against: none  
Use of the substance/mixture: Production of printing inks, inks, printing plates and similar products, supply various industrial applications. Auxiliaries in the textile, leather and paper industry. Reagent and solvent in chemical syntheses. Production of resins. Solvents in paints, coatings, printing inks, adhesives, varnishes and similar products. Aids in the plastics, synthetic resin, coating, adhesive and printing ink industry. Plasticizers for resins, fibers, sheets, films and plastics. Heat transfer fluid. Antifreeze. Aids in the oil and lubricant industry. Cosmetic ingredient (solvents). Manufacturing hydraulic fluids. Humectant.

1.3 Details of the supplier of the safety data sheet

Company: Wittig Umweltchemie GmbH  
Carl-Bosch-Str. 17  
D-53501 Grafschaft-Ringen  
Telephone: +49 (0) 2641 - 20510 0  
Fax: +49 (0) 2641 - 20510 22  
Homepage: [www.glysofor.de](http://www.glysofor.de)  
E-Mail: [info@glysofor.de](mailto:info@glysofor.de)  
Info about substance/mixture: Mr. Dirk Wittig, Tel.: +49 (0) 2641 - 20510 0, [info@glysofor.de](mailto:info@glysofor.de)

1.4 Emergency telephone

Telephone: +49 (0) 2641 - 20510 0 (Mo. – Fr., 8.00 – 17.00)  
Responsible/issuing person: Mr. Dirk Wittig, Tel.: +49 (0) 2641 - 20510 0, [info@glysofor.de](mailto:info@glysofor.de)  
Emergency information: Poison Center Mainz – 24 hours emergency service  
+49 (0) 6131 – 19240

**Section 2: Hazards identification**2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute Tox. 4: Acute Toxicity, Category 4

H302 Harmful if swallowed.

STOT RE 2: Specific target organ toxicity – repeated exposure, Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008:

The mixture is classified and labelled according to the CLP regulation.

Hazard symbols

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018



GHS 07 GHS08

Signal word: Warning

Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fumes/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

Environmental hazard:

The product is classified as not harmful to the environment.

## Section 3: Composition/information on ingredients

### 3.1 Chemical characterization:

Trade name:	Base: Diethylene glycol
CAS-No:	111-46-6
EG-No:	203-872-2
INDEX-No:	603-140-00-6
Registration number:	REACH 01-2119457857-21-XXX

## Section 4: First aid measures

### 4.1 Description of first aid measures

General advice:	Change contaminated clothing. Symptoms of poisoning can occur after several hours, therefore medical observation for at least 48 hours after the accident. Position and transport concerned person in a stable side position.
If inhaled:	Bring the concerned person to fresh air and place in a resting position. Seek medical treatment.
In case of skin contact:	Remove contaminated clothing and wash affected skin with soap and plenty of water. Seek medical advice if symptoms persist.
In case of eye contact:	Rinse open eyes for several minutes under running water. Seek medical advice if symptoms persist.
If swallowed:	Rinse out mouth and then drink plenty of water. Do not induce vomiting, seek medical treatment immediately. Never give anything by mouth to an unconscious person. Try to administer activated carbon or sodium sulphate.

### 4.2 Most important symptoms and effects, both acute and delayed

No additional information available.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available.

**Section 5: Fire Fighting Measures**5.1 Extinguishing Media

Suitable extinguishing media: SMALL FIRE: Use dry chemicals, CO<sub>2</sub>, water spray or alcohol-resistant foam. LARGE FIRE: Use water spray, water fog or alcohol-resistant foam.

Unsuitable extinguishing media: Water jet

5.2 Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases is possible Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>).  
Can form explosive gas-air mixtures.

5.3 Advice for firefighters

Special protective equipment for fire-fighters:

Do not inhale explosion and/or combustion gases.  
Wear chemical protection clothing and self-contained breathing apparatus.

More Information:

Cool endangered containers with water spray jet. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

**Section 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.  
Do not inhale vapors / aerosols.  
Avoid contact with eyes and skin.

6.2 Environmental precautions:

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.  
Inform respective authorities if the product reaches water or sewage system.  
Inform respective authorities if the product penetrates into the ground.

6.3 Methods and materials for containment and cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, universal binding agents) and dispose of according to local regulations. (see Section 13.)

6.4 Reference to other sections:

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**Section 7: Handling and storage**7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Do not inhale aerosols.  
Do not inhale vapors.  
Avoid contact with eyes and skin.  
Occupational exposure limits (OEL) and / or other threshold values should be considered.

Information on fire and explosion protection:

Vapours may form explosive mixture with air.  
Potentially explosive mixtures can form in emptied receptacles.  
Keep away from sources of ignition - No smoking.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

Take precautionary measures against static charges.

Ex-protection temperature class: T2 (DIN VDE 0165)

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements for storerooms and containers:

Store product in closed containers.

Containers must be clean, dry and free of rust.

Store in a cool and well-ventilated room.

Please note legal specifications for water.

TRGS 510 "Storage of hazardous materials in mobile containers".

Advice on storage assembly:

Do not store together with oxidizing agents.

Do not store together with food and feed.

Storage temperature:

Storage at -20 to 40°C is recommended.

VCI – Storage class:

10-13 other liquids and solids (not LGK 1-8)

7.3 Specific end uses:

No additional information available.

**Section 8: Exposure controls/personal protection**8.1 Control parameters:

Components with limit values that require monitoring at the workplace:

2,2'-Oxydiethanol, Cas 111-46-6 TRGS 900 – 10 ml/m<sup>3</sup> / 44 mg/m<sup>3</sup>

Peak limit: 4 (l)

Pregnancy group: Y

**Diethylene glycol, CAS 111-46-6 / EG.No. 203-872-2**

DNEL values	Admission path	Effect duration	Effect	Value
<b>(Arbeitnehmer)</b>	dermal	long-term (chronic)	systematic	106 mg/kg/day
	inhalative	long-term (chronic)	local	60 mg/m <sup>3</sup>

**Diethylene glycol, CAS 111-46-6 / EG.No. 203-872-2**

DNEL values	Admission path	Effect duration	Effect	Value
<b>(Verbraucher)</b>	dermal	long-term (chronic)	systematic	53 mg/kg/day
	inhalative	long-term (chronic)	local	12 mg/m <sup>3</sup>

**Diethylene glycol, CAS 111-46-6 / EG.No. 203-872-2**

PNEC values	Environmental compartment	Type	Value
	Water	Freshwater	10 mg/Ltr.
	Water	Seawater	1 mg/Ltr.
	Water	Freshwater Sediment	20,9 mg/Ltr.
	Water	AQUA intermittent	10 mg/kg
	Soil	-	1,53 mg/kg
	Sewage plant	-	199,5 mg/Ltr.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from food, drink and animal feedingstuffs.

Take off contaminated clothing immediately.

Do not inhale gases / fumes / aerosols.

Avoid contact with skin and eyes.

Do not eat, drink or smoke when working.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

Wash hands before breaks and immediately after handling the product.  
The usual caution measures while dealing with chemicals have to be observed.

Respiratory protection: Breathing apparatus in the event of aerosol or mist formation.  
No personal respiratory protective equipment normally required.

Hand protection: Chemical-resistant gloves (EN 374)

Eye protection: Tightly fitting goggles (EN 166).

Skin protection: Long sleeved clothing (EN 368).

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General information

Physical state:	Liquid
Color:	Colorless
Odor:	Odorless
pH-Value 500g/Ltr. 20 °C:	7,1
Melting point:	-6,5 °C
Boiling point:	242 °C
Flash point:	> 135 °C
Evaporation rate:	< 0,01 (Butyl acetate)
Explosive properties:	The product is not explosive
Explosion limits	Lower: 22 Vol% Upper: 0,7 Vol%
Vapour pressure:	0,008 hPa (25 °C)
Density:	1,12 g / cm <sup>3</sup>
Water solubility ( 20° C):	any
Partition coefficient n-octanol/water:	log Pow -1,98 (25 °C)
Auto-ignition temperature:	approx.. 230 °C
Viscosity:	dynamic at 20 °C: 42 mPas Kinematic at 20 °C: 33 mm <sup>2</sup> /s
Oxidizing properties:	no

### 9.2 Other information

Organic solvents:	0,0%
VOC – EU	0,00%
VOC – CH	0,00%

## Section 10: Stability and reactivity

<u>10.1 Reactivity:</u>	No decomposition if stored and applied as directed.
<u>10.2 Chemical stability:</u>	Stable under normal conditions. Reacts with strong oxidation agents. To avoid thermal decomposition do not overheat.
<u>10.3 Possibility of hazardous reactions:</u>	Formation of flammable vapour-air mixtures is possible. Reacts with strong oxidants. Exothermic reactions with strong acids.
<u>10.4 Conditions to avoid:</u>	No data available.
<u>10.5 Incompatible materials:</u>	Oxidizing agents, Perchloric acid, Alkali hydroxides, Chromyl chloride
<u>10.6 Hazardous decompositions products:</u>	None known.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

**Section 11: Toxicological information**11.1 Information on toxicological effects:

Acute oral toxicity:	LD50, Human	1120 mg/kg
Acute oral toxicity:	LD 50, Rat	19600 mg/kg
Acute dermal toxicity:	LD50, Rabbit	13300 mg/kg
Acute inhalation toxicity:	LC0, Rat	>4,5 mg/l (4 hours)

## Primary irritant effect:

Irritant effect skin: No skin irritation (Rabbit).

Irritant effect eye: No eyes irritation (Rabbit).

Sensitization: No sensitizing effect.

Severe effects after repeated or prolonged exposure: May cause damage to organs through prolonged or repeated exposure.

## CMR effects / properties:

Carcinogenicity: No carcinogenic effects in animal studies:

Mutagenicity: No mutagenic effect in animal studies.

In vitro tests showed no mutagenic effects.

Teratogenicity: Showed no effect on foetal development in animal studies.

Reproductive toxicity: showed no effect on fertility in animal studies.

## Specific target organ toxicity

Ingestion / Repeated action: Target organ: Kidney

May cause damage to organs by prolonged or repeated exposure.

**Section 12: Ecological information**12.1 Toxicity

LC50/Elritze (Pimephales promelas)/96h:&gt;100mg/l

LC50/24h/Goldfisch: &gt;5g/l

EC50/Daphnia/24h: &gt;10g/l

EC0/Pseudomonas putida: &gt;8g/l

EC0/Scenedesmus quadricauda: &gt;2,7g/l

12.2 Persistence and degradability : The product has no harmful effect on the environment.

It is readily biodegraded according to OECD 301E / EEC 84/449 C3.

Elimination: &gt; 70% DOC Zahn-Wellens-Test

Valuation: Readily biodegraded.

If low concentrations are dosed properly into adapted biological sewage treatment plants, disturbances in the degradation activity of activated sludge are not to be expected.

12.3 Bioaccumulative potential: No bioaccumulation is expected.12.4 Mobility in the soil: No data available.

Ecotoxic effects: With the appropriate introduction of low concentrations into adapted biological wastewater treatment plants, trouble is not to be expected in the decomposition activity of activated sludge.

General information: Water hazard class: WHC 1: slightly hazardous for water

12.5 Results of PBT and vPvB assessment:

PBT: Not determined.

vPvB: Not determined.

12.6 Other adverse effects: Not determined.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

**Section 13: Disposal considerations**13.1 Waste treatment methods:

Product: Should not be disposed of with household waste. Do not flush into surface water or sanitary sewer system. Where possible recycling is preferred to disposal. The waste code number must be agreed with the disposer / manufacturer / competent authority.

Waste disposal number: Waste key numbers are assigned according to the European Waste Catalogue (EWC) depending on the sector and process type.

Contaminated packaging: Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

**Section 14: Transport information**14.1 UN number

ADR, ADN, IMDG, IATA: Not applicable

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA: Not applicable

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA: Not applicable

14.4 Packing group

ADR, ADN, IMDG, IATA: Not applicable

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Other information: No hazardous material as defined by the transport regulations.

UN "Model Regulation": ---

**Section 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP):

The mixture is classified and labelled according to the CLP regulation.

Pictograms:



GHS07

GHS08

Signal word: Warning

Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to organs (kidney, oral) through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after use.

Product name: Diethylene glycol – DEG

Print date: 29.10.2018

Revision date: 29.10.2018

P270 Do not eat, drink or smoke when using this product.

P301+P312 F SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container to hazardous or special waste collection point .

PBT: Not applicable

vPvB: Not applicable

National regulatory information:

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Hazardous Incident Ordinance: Annex: unspecified

Technical Instructions (air): Other organic substances (Section 5.2.5) 100%

Water hazard class: WHC 1 (VwVwS) of 17th of May 1999, slightly hazardous to water

15.2 Chemical safety assessment: Chemical safety assessments for substances in this mixture were not carried out.**Section 16: Other information**

Reasons for changes: Changes to classification and labelling.

Department issuing data specification sheet:

Management

Contact: Mr. Dirk Wittig, Tel.: +49 (0) 2641 - 20510 0, [info@glysofor.de](mailto:info@glysofor.de)

The information supplied has been based upon the current level of information available. The security data sheet describes products in regard to their safety requirements. The indications do not have the meaning of guarantees on properties.